




## Instructions for Use: Eye Wash Temperature Check Tag

<b>Brand Name of Product</b>	Eye Wash Temperature Check Tag
<b>Generic Name of Product</b>	Eye Wash Temperature Check Tag
<b>Product Code Number(s)</b>	EWTC-001, EWTC-CHN
<b>Intended Use</b>	For testing and documenting shower and/or eyewash stations.
<b>Range of Applications for Product</b>	To be placed on the eye wash station for weekly maintenance.
<b>Key Specifications of Product</b>	<ul style="list-style-type: none"> <li>• 12 Self-looping-style for mounting on the wash station.</li> <li>• 12 TempaChek™ LC2</li> <li>• Nickel plated chain: 30-inch length</li> </ul>

Shipping & Storage	
<b>Shipping Conditions &amp; Requirements</b>	N/A
<b>Storage Conditions</b>	N/A
<b>Packaging Contents</b>	Package kit: <ul style="list-style-type: none"> <li>• 12 Tags</li> <li>• 12 TempaChek™ LC2</li> <li>• One (1) Chain</li> </ul>
<b>Shelf Life</b>	N/A

Instructions for Using Product																																																		
<b>Description of Use(s)</b>	For testing and documenting shower eyewash stations.																																																	
<b>Preparation for Use</b>	<ol style="list-style-type: none"> <li>1. Secure the self-looping label around the chain.</li> <li>2. Attach the chain of the self-looping label to the eye wash station.</li> </ol>																																																	
<b>Diagrams (drawings, pictures)</b>	<div style="text-align: center;">  </div> <div style="display: flex; justify-content: space-around; align-items: flex-start;"> <div style="text-align: center;">  </div> <div style="border: 1px solid black; padding: 5px;"> <p><b>Eyewash Station Weekly Log • Month:</b> _____</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 10%;">Date</th> <th style="width: 15%;">Station activated easily w/ foot or hand control</th> <th style="width: 10%;">Flow removed eyepiece covers</th> <th style="width: 15%;">Water flows evenly in a steady stream from both eyepieces</th> <th style="width: 15%;">Tepid temperature reached &amp; monitored for at least 1 min.</th> <th style="width: 10%;">Eyepieces clean of debris on inspection</th> <th style="width: 10%;">Initial of Inspector</th> </tr> </thead> <tbody> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> </tbody> </table> </div> </div>	Date	Station activated easily w/ foot or hand control	Flow removed eyepiece covers	Water flows evenly in a steady stream from both eyepieces	Tepid temperature reached & monitored for at least 1 min.	Eyepieces clean of debris on inspection	Initial of Inspector																																										
Date	Station activated easily w/ foot or hand control	Flow removed eyepiece covers	Water flows evenly in a steady stream from both eyepieces	Tepid temperature reached & monitored for at least 1 min.	Eyepieces clean of debris on inspection	Initial of Inspector																																												



<b>Steps for Use of Product</b>	<ol style="list-style-type: none"> <li>1. Write the month on the Eye Wash Station Weekly Log tag</li> <li>2. Date/check each log section and add inspector's initials after conducting weekly maintenance on the eye wash station</li> <li>3. Check/record temperature of the water with a TempaChek™-LC2 to ensure water is between 60 – 100 °F (15 – 37 °C)</li> <li>4. Check the eye wash station (with hand/foot control) activity for water flows with:             <ol style="list-style-type: none"> <li>a. Eyepiece caps removed.</li> <li>b. Steady stream (evenly) from both eyepieces.</li> </ol> </li> <li>5. Check temperature is within recommended range for one-minute</li> <li>6. Ensure eyepieces are clean of debris during inspection.</li> <li>7. Record results on the Eye Wash Station Weekly Log tag.</li> <li>8. Each month change the Eye Wash Temperature Check Tag.</li> </ol> <p>NOTE: Consult the Instructions for Use from the manufacturer (Mfr.) of the eye wash station, including steps for checking functionality.</p>
<b>Interpretation of Test Results</b>	N/A
<b>Contraindications of Test Results</b>	N/A
<b>Documentation</b>	N/A
<b>Special Warnings and Cautions</b>	N/A
<b>Disposal</b>	Dispose of in accordance with facility policy.

<b>Reprocessing Instructions</b>	
<b>Point of Use</b>	N/A
<b>Preparation for Decontamination</b>	N/A
<b>Disassembly Instructions</b>	N/A
<b>Cleaning – Manual</b>	N/A
<b>Cleaning – Automated</b>	N/A
<b>Disinfection</b>	N/A
<b>Drying</b>	N/A

<b>Maintenance, Inspection, and Testing</b>	N/A
<b>Reassembly Instructions</b>	N/A
<b>Packaging</b>	N/A
<b>Sterilization</b>	N/A
<b>Storage</b>	N/A
<b>Additional Information</b>	N/A
<b>Related Healthmark Products</b>	N/A
<b>Other Product Support Documents</b>	Labeling Brochure, Labeling Price List
<b>Reference Documents</b>	N/A
<b>Customer Service Contact</b>	Healthmark Industries Company, Inc. 18600 Malyn Blvd. Fraser, MI 48026 1-586-774-7600 <a href="mailto:healthmark@hmark.com">healthmark@hmark.com</a> hmark.com

2021-12-17 Suzanne Latta