



**Instructions for Use: Long Cynch-Loks**

<b>Brand Name of Product</b>	Long Cynch-Loks
<b>Generic Name of Product</b>	Tamper Evident Seals
<b>Product Code Number(s)</b>	927-15, 927-07, 927-11, 1515 GREEN HLD
<b>Intended Use:</b>	To show tampering and/or access to critical equipment and supplies.
<b>Range of Applications for Product</b>	Crash carts, emergency boxes, cabinets, and other areas where demonstrating tampering is critical.
<b>Key specifications of product</b>	<ul style="list-style-type: none"> <li>● Numbered.</li> <li>● Seal and broken by hand.</li> <li>● Cannot be resealed once broken.</li> <li>● Variety of colors available</li> </ul>

**Shipping & Storage**

<b>Shipping Conditions &amp; Requirements</b>	
<b>Storage Conditions</b>	
<b>Packaging Conditions</b>	
<b>Shelf Life</b>	

**Instructions for Using Product**

<b>Description of Use (s)</b>	Seal crash carts, emergency boxes and other areas where evidence of tampering is critical
<b>Preparation for Use</b>	
<b>Diagrams (drawings, pictures):</b>	
<b>Steps for Use of Product</b>	<ol style="list-style-type: none"> <li>1. Place strap through locking chamber with teeth towards neck of bag.</li> <li>2. Pull strap manually or place hook of puller tool in slotted strap-end. Pull tightly.</li> <li>3. For tight grip, place jaws of the tool over teeth &amp; pull. The bag is now securely sealed. To remove surplus strap, place jaws of tool over teeth at locking chamber &amp; twist strap.</li> </ol>
<b>Interpretation of Results</b>	
<b>Contraindications of Test Results</b>	
<b>Documentation</b>	Follow the policy of your facility for recording date, staff and other information critical to management of critical inventory.
<b>Special Warnings and Cautions</b>	If a seal is broken, assume items have been tampered with or removed. Follow your facility instructions for inspection and replacement of critical inventory.
<b>Disposal</b>	

**Reprocessing Instructions**

<b>Point of use:</b>	
<b>Preparation for decontamination:</b>	
<b>Disassembly Instructions:</b>	
<b>Cleaning – Manual:</b>	
<b>Cleaning – Automated:</b>	
<b>Disinfection:</b>	
<b>Drying:</b>	
<b>Maintenance, inspection, and testing:</b>	
<b>Reassembly Instructions:</b>	
<b>Packaging:</b>	
<b>Sterilization:</b>	Compatible with steam sterilization. Standard cycle: 270 °/4 minutes
<b>Storage:</b>	
<b>Additional Information:</b>	

<b>Related Healthmark Products</b>	
<b>Other Product Support Documents</b>	Security Products Brochure, Security Products Price List
<b>Reference Documents</b>	

**Customer Service contact:**

Healthmark Industries Company, Inc  
33671 Doreka  
Fraser, MI 48026  
1-586-774-7600  
[healthmark@hmark.com](mailto:healthmark@hmark.com)  
hmark.com

2015-09-30 msmith